

EXEMPLAR SOLUTIONS PHYSICS

Class
11




Powered by




Chapter 3 - Motion in a Straight Line

Multiple Choice Questions I


3.1. Among the four graphs, there is only one graph for which average velocity over the time interval $(0, T)$ can vanish for a suitably chosen T . Which one is it?




(a)



(b)



(c)




(d)

Answer:

The correct answer is b)

NAGEEN GROUP
tamso ma jyotirgamaya



3.2. A lift is coming from 8th floor and is just about to reach 4th floor. Taking ground floor as origin and positive direction upwards for all quantities, which one of the following is correct?


- a) $x < 0$, $v < 0$, $a > 0$
- b) $x > 0$, $v < 0$, $a < 0$
- c) $x > 0$, $v < 0$, $a > 0$
- d) $x > 0$, $v > 0$, $a < 0$

Answer:

The correct answer is a) $x < 0$, $v < 0$, $a < 0$

The value of x and v becomes negative as the lift is moving from 8th floor to the 4th floor whereas acceleration is acting in the upwards and stays positive. This is explained with the help of following diagram:

NAGEEN GROUP
tamso ma jyotirgamaya



3.3. In one-dimensional motion, instantaneous speed v satisfies $0 \leq v < v_0$.

- a) the displacement in time T must always take non-negative values
- b) the displacement x in time T satisfies: $v_0 T < x < v_0 T$
- c) the acceleration is always a non-negative number
- d) the motion has no turning points

Answer:

The correct answer is b) the displacement in time T must always take non-negative values

3.4. A vehicle travels half the distance L with speed V_1 and the other half with speed V_2 , then its average speed is

- a) $(V_1 + V_2)/2$
- b) $(2V_1 + V_2)/(V_1 + V_2)$
- c) $(2V_1 V_2)/(V_1 + V_2)$
- d) $L(V_1 + V_2)/V_1 V_2$

Answer:

The correct answer is c) $(2V_1 V_2)/(V_1 + V_2)$

3.5. The displacement of a particle is given by $x = (t-2)^2$ where x is in metres and t is seconds. The distance covered by the particle in first 4 seconds is

- a) 4 m
- b) 8 m
- c) 12 m
- d) 16 m

Answer:

The correct answer is b) 8 m

3.6. At a metro station, a girl walks up a stationary escalator in time t_1 . If she remains stationary on the escalator, then the escalator take her up in time t_2 . The time taken by her to walk up on the moving escalator will be


- a) $(t_1 + t_2)/2$
- b) $t_1 t_2 / (t_2 - t_1)$
- c) $t_1 t_2 / (t_2 + t_1)$
- d) $t_1 - t_2$

Answer:

The correct answer is c) $t_1 t_2 / (t_2 + t_1)$

Multiple Choice Questions II

3.7. The variation of quantity A with quantity B, plotted in figure describes the motion of a particle in a straight line.




- a) quantity B may represent time
- b) quantity A is velocity if motion is uniform
- c) quantity A is displacement if motion is uniform
- d) quantity A is velocity if motion is uniformly accelerated

Answer:

The correct answer is a) quantity B may represent time, c) quantity A is displacement if motion is uniform and d) quantity A is velocity if motion is uniformly accelerated

3.8. A graph of x versus t is shown in the figure. Choose correct alternatives from below.



- a) the particle was released from rest at $t=0$
- b) at B, the acceleration $a>0$
- c) at C, the velocity and the acceleration vanish
- d) average velocity for the motion A and D is positive
- e) the speed at D exceeds that at E

Answer:

The correct answer is a) the particle was released from rest at $t=0$, c) at C, the velocity and the acceleration vanish and e) the speed at D exceeds that at E

3.9. For the one-dimensional motion, describe by $x = t - \sin t$

- a) $x(t)>0$ for all $t>0$
- b) $v(t)>0$ for all $t>0$
- c) $a(t)>0$ for all $t>0$
- d) $v(t)$ lies between 0 and 2

Answer:

The correct answer is a) $x(t)>0$ for all $t>0$ and d) $v(t)$ lies between 0 and 2

3.10. A spring with one end attached to a mass and the other to a rigid support is stretched and released.

- a) magnitude of acceleration, when just released is maximum
- b) magnitude of acceleration, when at equilibrium position is maximum
- c) speed is maximum when mass is at equilibrium position
- d) magnitude of displacement is always maximum whenever speed is minimum

Answer:

The correct answer is a) magnitude of acceleration, when just released is maximum and c) speed is maximum when mass is at equilibrium position

3.11. A ball is bouncing elastically with a speed 1 m/s between walls of a railway compartment of size 10 m in a direction perpendicular to walls. The train is moving at a constant velocity of 10 m/s parallel to the direction of motion of the ball. As seen from the ground,





- a) the direction of motion of the ball changes every 10 seconds
- b) speed of ball changes every 10 seconds
- c) average speed of ball over any 20 seconds intervals is fixed
- d) the acceleration of ball is the same as from the train

Answer:

The correct option is b) speed of ball changes every 10 seconds, c) average speed of ball over any 20 seconds intervals is fixed and d) the acceleration of ball is the same as from the train

Very Short Answers

3.12. Refer to the graphs below and match the following:



Graph	Characteristics
a)	i) has $v > 0$ and $a < 0$ throughout
b)	ii) has $x > 0$ throughout and has a point with $v = 0$ and a point with $a = 0$
c)	iii) has a point with zero displacement for $t > 0$
d)	iv) has $v < 0$ and $a > 0$


Answer:

- a) matches with iii) has a point with zero displacement for $t > 0$
- b) matches with ii) has $x > 0$ throughout and has a point with $v = 0$ and a point with $a = 0$
- c) matches with iv) has $v < 0$ and $a > 0$
- d) matches with i) has $v > 0$ and $a < 0$ throughout

3.13. A uniformly moving cricket ball is turned back by hitting it with a bat for a very short time interval. Show the variation of its acceleration with taking acceleration in the backward direction as positive.

Answer:

The force which is generated by the bat is known as impulsive force. When the effect of gravity is ignored, it can be said that the ball moves with a uniform speed horizontally and returns back to the bat with the same speed. When the ball hits the bat, the acceleration is zero. Acceleration is generated when the ball strikes the bat and an impulsive force is generated.



Following is the graph of variation of acceleration with respect to time:

NAGEEN GROUP
tamso ma jyotirgamaya



3.14. Give examples of a one-dimensional motion where

a) the particle moving along positive x-direction comes to rest periodically and moves forward

b) the particle moving along positive x-direction comes to rest periodically and moves backward

Answer:

When an equation has sine and cosine functions, the nature is periodic.

a) When the particle is moving in positive x-direction, it is given as $x(t) = t - \sin t$

When the displacement is as a function of time, it is given as $x(t) = t - \sin t$

When the equation is differentiated with respect to time, we get

Velocity $v(t) = dx(t)/dt = 1 - \cos t$

Differentiating the above equation again with respect to time, we get

Acceleration, $a(t) = dv/dt = \sin t$

When $t = 0$, $x(t) = 0$

When $t = \pi$, $x(t) = \pi > 0$

When $t = 2\pi$, $x(t) = 2\pi > 0$

b) The equation is given as

$x(t) = \sin t$

$v = (d/dt)x(t) = \cos t$

$a = dv/dt = -\sin t$

At $t = 0$, $x = 0$, $v = 1$ and $a = 0$

At $t = \pi/2$, $x = 1$, $v = 0$ and $a = -1$

At $t = \pi$, $x = 0$, $v = -1$, and $a = 0$

At $t = 3\pi/2$, $x = -1$, $v = 0$ and $a = 1$

Therefore, it can be said that when the particle is moving along the positive x-direction, the particle comes to rest periodically and moves backward. When the displacement and velocity is involved, that is $\sin t$ and $\cos t$, the equations are represented periodic in nature.

3.15. Give example of a motion where $x > 0$, $v < 0$, $a > 0$ at a particular instant.

Answer:

Let the motion be represented as:

$$x(t) = A + Be^{-\gamma t}$$

Let $A > B$ and $\gamma > 0$

Velocity is $v(t) = dx/dt = -Be^{-\gamma t}$

Acceleration is $a(t) = dv/dt = B\gamma e^{-\gamma t}$

Therefore, it can be said that $x(t) > 0$, $v(t) < 0$, and $a > 0$

3.16. An object falling through a fluid is observed to have acceleration given by $a = g - bv$ where g = gravitational acceleration and b is constant. After a long time of release, it is observed to fall with constant speed. What must be the value of constant speed?

Answer:

The concept used in this question will be based on the behaviour of a spherical object when it is dropped through a viscous fluid. When a spherical body of radius r is dropped, it is first accelerated and gradually the acceleration comes to zero, attaining a constant velocity which is known as terminal velocity.

Given,

$$a = g - bv$$

We know that,

$$a = dv/dt = 0 \text{ for uniform motion}$$

g = gravitational acceleration

Therefore, it can be said that as the speed increases, acceleration decreases. When the speed is v_0 , acceleration will be zero and speed remains constant.

$$\text{Therefore, } a = g - bv_0 = 0$$

$$v_0 = g/b$$

Short Answers

3.17. A ball is dropped and its displacement vs time graph is as shown in the figure where displacement x is from the ground and all quantities are positive upwards.



a) Plot qualitatively velocity vs time graph


b) Plot qualitatively acceleration vs time graph

Answer:

a) At $t=0$ and $v=0$, v-t graph is:



b) At $x = 0$, a - t graph is:



3.18. A particle executes the motion described by $x(t) = x_0 (1 - e^{-\gamma t})$ where $t \geq 0$, $x_0 > 0$

a) Where does the particles start and with what velocity?

b) Find maximum and minimum values of $x(t)$, $v(t)$, $a(t)$. Show that $x(t)$ and $a(t)$ increase with time and $v(t)$ decreases with time.

Answer:

a) $x(t) = x_0 (1 - e^{-\gamma t})$

$v(t) = dx(t)/dt = +x_0 \gamma e^{-\gamma t}$

$a(t) = dv/dt = -x_0 \gamma^2 e^{-\gamma t}$

$v(0) = x_0 \gamma$

b) $x(t)$ is minimum at $t = 0$ since $t = 0$ and $[x(t)]_{\min} = 0$

$x(t)$ is maximum at $t = \infty$ since $t = \infty$ and $[x(t)]_{\max} = x_0 (1 - e^{-\gamma \infty}) = x_0$

$v(t)$ is maximum at $t = 0$ since $t = 0$ and $v(0) = x_0 \gamma$

$v(t)$ is minimum at $t = \infty$ since $t = \infty$ and $v(\infty) = 0$

$a(t)$ is maximum at $t = \infty$ since $t = \infty$ and $a(\infty) = 0$

$a(t)$ is minimum at $t = 0$ since $t = 0$ and $a(0) = -x_0 \gamma^2$

3.19. A bird is tossing between two cars moving towards each other on a straight road. One car has a speed of 18 m/h while the other has the speed of 27 km/h. The bird starts moving from first car towards the other and is moving with the speed of 36 km/h and when the two cars were separated by 36 km. What is the total distance covered by the bird? What is the total displacement of the bird?

Answer:

The relative speed of the cars = $27 + 18 = 45$ km/h

When the two cars meet together, time t is given as

$t = \text{distance between cars} / \text{relative speed of cars}$

$$= 36 / (27 + 18)$$


$$t = 4/5 \text{ h}$$

Therefore, distance covered by the bird in $4/5$ hours $= (36)(4/5) = 28.8 \text{ km}$

3.20. A man runs across the roof-top of a tall building and jumps horizontally with the hope of landing on the roof of the next building which is of a lower height than the first. If his speed is 9 m/s , the distance between the two buildings is 10 m and the height difference is 9 m , will he be able to land on the next building?

Answer:

For a free fall at 9 m , the horizontal distance covered by the man should be at least 10 m .



$$u = 0$$

$$a = 10 \text{ m/s}^2$$

$$s = 9 \text{ m}$$

$$t = t$$

$$s = ut + \frac{1}{2} at^2$$

Substituting the values, we get

$$t = \sqrt{9/3} = 3/\sqrt{5} \text{ sec}$$

The horizontal distance covered by the person,

$$vt = (9)(3/\sqrt{5}) = 12.07 \text{ m}$$

Therefore, 12.07 m is the distance covered during a free fall of 9 m .

Therefore, when the free fall is 10 m it is $12.07 - 10 = 2.07$ m

3.21. A ball is dropped from a building of height 45 m. Simultaneously another ball is thrown up with a speed 40 m/s. Calculate the relative speed of the balls as a function of time.

Answer:

$$V = v_1 = ?$$

$$U = 0$$

$$h = 45 \text{ m}$$

$$a = g$$

$$t = t$$

$$V = u + at$$

$$v_1 = 0 + gt$$

$$v_1 = gt$$

Therefore, when the ball is thrown upward, $v_1 = -gt$

$$V = v_2$$

$$u = 40 \text{ m/s}$$

$$a = g$$

$$t = t$$


$$V = u + at$$

$$v_2 = 40 - gt$$

The relative velocity of the ball in the downward direction is -40 m/s

But when the speed increases due to acceleration, the relative speed remains 40 m/s

3.22. The velocity-displacement graph of a particle is shown in the figure.




a) Write the relation between v and x .

b) Obtain the relation between acceleration and displacement and plot it.

Answer:

a) Consider the point $P(x, v)$ at any time t on the graph such that angle ABO is θ such that $\tan \theta = AQ/QP = (v_0 - v)/x = v_0/x_0$



When the velocity decreases from v_0 to zero during the displacement, the acceleration becomes negative.

$$a = -\tan \theta = v_0/x_0 = (v_0 - v)/x$$

$$v_0 - v = (v_0/x_0)x$$

$v = v_0(1 - x/x_0)$ is the relation between v and x .


b) $a = dv/dt = (dv/dt)(dx/dx) = (dv/dx)(dx/dt)$

$$a = -v_0/x_0$$

$$v = -v_0/x_0$$

$$a = (v_0^2 x/x_0^2) - (v_0^2/x_0)$$

tamso ma jyotirgamaya



At $x = 0$
 $a = -v_0^2/x_0$

At $a = 0$

The points are $(0, -v_0^2/x_0)$ and $B(x_0, 0)$

Long Answers

3.23. It is a common observation that rain clouds can be at about a kilometre altitude above the ground.

a) If a rain drop falls from such a height freely under gravity, what will be its speed? Also, calculate in km/h

b) A typical rain drop is about 4 mm diameter. Momentum is mass \times speed in magnitude. Estimate its momentum when it hits ground.

c) Estimate the time required to flatten the drop.

d) Rate of change of momentum is force. Estimate how much force such a drop would exert on you.

e) Estimate the order of magnitude force on umbrella. Typical lateral separation between two rain drops is 5 cm.

Answer:

a) Velocity attained by the rain drop which is falling freely through the height h is:

$$v^2 = u^2 - 2g(-h)$$

As $u = 0$

$$v = \sqrt{2gh} = 100\sqrt{2} \text{ m/s} = 510 \text{ km/h}$$

b) Diameter of the drop, $d = 2r = 4 \text{ mm}$

Radius of the drop, $r = 2 \text{ mm} = 2 \times 10^{-3} \text{ m}$

Mass of the drop, $m = V\rho = 3.4 \times 10^{-5} \text{ kg}$

Momentum of the rain drop, $p = mv = 5 \times 10^{-3} \text{ kg.m/s}$

c) Time required to flatten the drop is the time taken by the drop to reach the ground
 $t = d/v = 30 \text{ ms}$

d) Force exerted by a rain drop is, $F = \text{change in momentum/time} = p-0/t = 168 \text{ N}$

e) Radius of umbrella, $R = 1/2 \text{ m}$

Area of umbrella = 0.8 m^2

No. of drops striking the umbrella, $n = 320$

Therefore the net force exerted = 54000 N

3.24. A motor car moving at a speed of 72 km/h cannot come to a stop in less than 3 s while for a truck this time interval is 5 s. On a highway the car is behind the truck both moving at 72 km/h. The truck gives a signal that it is going to stop at emergency. At what distance the car should be from the truck so that it does not bump onto the truck. Human response time is 0.5 s.

Answer:

For truck, $u = 20 \text{ m/s}$

$v = 0$

$a = ?$

$t = 5 \text{ s}$

$v = u + at$

$a = 4 \text{ m/s}^2$

For car, $t = 3 \text{ s}$

$u = 20 \text{ m/s}$

$v = 0$

$a = a_c$

$v = u + at$

$a_c = -20/3 \text{ m/s}^2$

Let s be the distance between the car and the truck when the truck gives the signal and t be the time taken to cover the distance.

The human response is 0.5 s and that is the time taken by the car to cover a certain distance with uniform velocity.

Therefore, $(t-0.5)$ is the retarded motion of the car.

Velocity of car after time t ,

$v_c = u - at$

$= 20 - (20/3)(t-0.5)$

Velocity of truck after time t ,

$v_t = 20 - 4t$

The bump between the car and the truck is given as:

$20 - (20/3)(t-0.5) = 20 - 4t$

$t = 5/4 \text{ s}$

Distance travelled by the truck in time $t = 21.875 \text{ m}$

Distance travelled by the car in time $t = 23.125 \text{ m}$

The collision between the truck and the car distance = 1.250 m

3.25. A monkey climbs up a slippery pole for 3 seconds and subsequently slips for 3 seconds. Its velocity at time t is given by $v(t) = 2t(3-t)$; $0 < t < 3$ and $v(t) = -(t-3)(6-t)$ for $3 < t < 6 \text{ s}$ on m/s. It repeats this cycle

till it reaches the height of 20 m.

a) At what time is its velocity maximum?

b) At what time is its average velocity maximum?

c) At what times is its acceleration maximum in magnitude?

d) How many cycles are required to reach the top?

Answer:

a) For maximum velocity $v(t)$

$$dv(t)/dt = 0$$

Substituting the value for v , we get

$$t = 1.5 \text{ seconds}$$

b) For average velocity = total distance/time taken

$$\text{Average velocity} = 3 \text{ m}$$

And the average velocity is maximum when time $t = 2.36 \text{ sec}$

c) When the acceleration is maximum in a periodic motion, the time is maximum when the body returns to the mean position when $v = 0$

$$v(t) = 6t - 2t^2$$

When $t = 3 \text{ second}$, acceleration is maximum

d) Distance covered between 0-3 second

$$s = 9\text{m}$$

$$v(t) = -(t-3)(6-t)$$

$$ds/dt = (t-3)(t-6)$$

Integrating the equation from 3 to 6, $s = -4.5\text{m}$

$$\text{The net distance} = 9 - 4.5 = 4.5\text{m}$$

$$\text{Height of climb in three cycle} = (4.5)(3) = 13.5\text{m}$$

$$\text{The remaining height} = 20 - 13.5 = 6.5 \text{ m}$$

Therefore, no. of cycles is 20 when the height of the pole is 4.

3.26. A man is standing on top of a building 100 m high. He throws two balls vertically, one at $t = 0$ and other after a time interval. The later ball is thrown at a velocity of half the first. The vertical gap between first and second ball is +15m at $t = 2\text{s}$. The gap is found to remain constant. Calculate the velocity with which the balls were thrown and the exact time interval between their throw.

Answer:

Let the speed of ball 1 = $u_1 = 2u \text{ m/s}$

Then the speed of ball 2 = $u_2 = u \text{ m/s}$

The height covered by ball 1 before coming to rest = h_1

The height covered by ball 2 before coming to rest = h_2

We know that,

$$v^2 = u^2 + 2gh$$

$$v^2 = 2gh$$

$$h = v^2/2g$$

$$\text{Therefore, } h_1 = 4u^2/2g$$

$$h_2 = u^2/2g$$

$$\text{From question, } h_1 - h_2 = 15 \text{ m}$$

Therefore,

$$4u^2/2g - u^2/2g = 15$$

$$u = 10 \text{ m/s}$$

$$h_1 = 20 \text{ m}$$

$$h_2 = 5 \text{ m}$$

And time taken is,

$$t_1 = 2 \text{ sec}$$

$$t_2 = 1 \text{ sec}$$



NAGEEN GROUP
tamso ma jyotirgamaya

CLASS 11: PHYSICS (ALL CHAPTERS)





JOIN OUR WHATSAPP GROUPS

FOR FREE EDUCATIONAL
RESOURCES





JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.
- **Immediate Doubt Resolution:** The group facilitates quick clarification of doubts. Members can seek assistance by sending messages, and experts promptly respond to queries. This real-time interaction fosters a supportive learning environment where educators and students can exchange knowledge and address concerns effectively.
- **Access to Previous Years' Question Papers and Topper Answers:** The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- **Free and Unlimited Resources:** Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.
- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.
- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.
- **Interactive Learning Environment:** Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.
- **Access to Expert Guidance:** SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

**Together, let's empower ourselves & Our Students and
inspire the next generation of learners.**

**Best Regards,
Team
School of Educators**

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)



[Click Here to Join](#)

Class 1



[Click Here to Join](#)

Class 2



[Click Here to Join](#)

Class 3



[Click Here to Join](#)

Class 4



[Click Here to Join](#)

Class 5



[Click Here to Join](#)

Class 6



[Click Here to Join](#)

Class 7



[Click Here to Join](#)

Class 8



[Click Here to Join](#)

Class 9



[Click Here to Join](#)

Class 10



[Click Here to Join](#)

Class 11 (Science)



[Click Here to Join](#)

Class 11 (Humanities)



[Click Here to Join](#)

Class 11 (Commerce)



[Click Here to Join](#)

Class 12 (Science)



[Click Here to Join](#)

Class 12 (Humanities)



[Click Here to Join](#)

Class 12 (Commerce)



[Click Here to Join](#)

Kindergarten

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only) Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi-A



[Click Here to Join](#)

IT Code-402



[Click Here to Join](#)

Hindi-B



[Click Here to Join](#)

Artificial Intelligence

Senior Secondary Groups (XI & XII For Teachers Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

Geography



[Click Here to Join](#)

Sociology



[Click Here to Join](#)

Hindi Elective



[Click Here to Join](#)

Hindi Core



[Click Here to Join](#)

Home Science



[Click Here to Join](#)

Sanskrit



[Click Here to Join](#)

Psychology



[Click Here to Join](#)

Political Science



[Click Here to Join](#)

Painting



[Click Here to Join](#)

Vocal Music



[Click Here to Join](#)

Comp. Science



[Click Here to Join](#)

IP



[Click Here to Join](#)

Physical Education



[Click Here to Join](#)

APP. Mathematics



[Click Here to Join](#)

Legal Studies



[Click Here to Join](#)

Entrepreneurship



[Click Here to Join](#)

French



[Click Here to Join](#)

IT



[Click Here to Join](#)

Artificial Intelligence

Other Important Groups (For Teachers & Principal's)



[Click Here to Join](#)

Principal's Group



[Click Here to Join](#)

Teachers Jobs



[Click Here to Join](#)

IIT/NEET

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Students Only)



[Click Here to Join](#)

Class 1



[Click Here to Join](#)

Class 2



[Click Here to Join](#)

Class 3



[Click Here to Join](#)

Class 4



[Click Here to Join](#)

Class 5



[Click Here to Join](#)

Class 6



[Click Here to Join](#)

Class 7



[Click Here to Join](#)

Class 8



[Click Here to Join](#)

Class 9



[Click Here to Join](#)

Class 10



[Click Here to Join](#)

Class 11 (Science)



[Click Here to Join](#)

Class 11 (Humanities)



[Click Here to Join](#)

Class 11 (Commerce)



[Click Here to Join](#)

Class 12 (Science)



[Click Here to Join](#)

Class 12 (Humanities)



[Click Here to Join](#)

Class 12 (Commerce)



[Click Here to Join](#)

**Artificial Intelligence
(VI TO VIII)**

Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only) Secondary Groups (IX & X)



[Click Here to Join](#)

SST



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Science



[Click Here to Join](#)

English



[Click Here to Join](#)

Hindi



[Click Here to Join](#)

IT Code



[Click Here to Join](#)

Artificial Intelligence

Senior Secondary Groups (XI & XII For Students Only)



[Click Here to Join](#)

Physics



[Click Here to Join](#)

Chemistry



[Click Here to Join](#)

English



[Click Here to Join](#)

Mathematics



[Click Here to Join](#)

Biology



[Click Here to Join](#)

Accountancy



[Click Here to Join](#)

Economics



[Click Here to Join](#)

BST



[Click Here to Join](#)

History



[Click Here to Join](#)

Geography



[Click Here to Join](#)

Sociology



[Click Here to Join](#)

Hindi Elective



[Click Here to Join](#)

Hindi Core



[Click Here to Join](#)

Home Science



[Click Here to Join](#)

Sanskrit



[Click Here to Join](#)

Psychology



[Click Here to Join](#)

Political Science



[Click Here to Join](#)

Painting



[Click Here to Join](#)

Music



[Click Here to Join](#)

Comp. Science



[Click Here to Join](#)

IP



[Click Here to Join](#)

Physical Education



[Click Here to Join](#)

APP. Mathematics



[Click Here to Join](#)

Legal Studies



[Click Here to Join](#)

Entrepreneurship



[Click Here to Join](#)

French



[Click Here to Join](#)

IT



[Click Here to Join](#)

AI



[Click Here to Join](#)

IIT/NEET



[Click Here to Join](#)

CUET

Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

1. Share your valuable resources with the group.
2. Help your fellow educators by answering their queries.
3. Watch and engage with shared videos in the group.
4. Distribute WhatsApp group resources among your students.
5. Encourage your colleagues to join these groups.

Additional notes:

1. Avoid posting messages between 9 PM and 7 AM.
2. After sharing resources with students, consider deleting outdated data if necessary.
3. It's a NO Nuisance groups, single nuisance and you will be removed.
 - No introductions.
 - No greetings or wish messages.
 - No personal chats or messages.
 - No spam. Or voice calls
 - Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

Join Premium WhatsApp Groups Ultimate Educational Resources!!

Join our premium groups and just Rs. 1000 and gain access to all our exclusive materials for the entire academic year. Whether you're a student in Class IX, X, XI, or XII, or a teacher for these grades, Artham Resources provides the ultimate tools to enhance learning. Pay now to delve into a world of premium educational content!

[Click here for more details](#)



Click Here to Join

Class 9



Click Here to Join

Class 10



Click Here to Join

Class 11



Click Here to Join

Class 12

📢 Don't Miss Out! Elevate your academic journey with top-notch study materials and secure your path to top scores! Revolutionize your study routine and reach your academic goals with our comprehensive resources. Join now and set yourself up for success! 🇧🇩🌟

Best Wishes,

Team

School of Educators & Artham Resources

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



Artificial Intelligence



Beauty & Wellness




Design Thinking & Innovation



Financial Literacy



Handicrafts



Information Technology



Marketing/Commercial Application




Mass Media - Being Media Literate




Travel & Tourism




Coding



Data Science (Class VIII only)




Augmented Reality / Virtual Reality



Digital Citizenship




Life Cycle of Medicine & Vaccine



Things you should know about keeping Medicines at home




What to do when Doctor is not around



Humanity & Covid-19




Blue Pottery




Pottery



Block Printing




Food



Food Preservation




Baking



Herbal Heritage



Khadi




Mask Making



Mass Media



Making of a Graphic Novel




Kashmiri Embroidery




Embroidery




Rockets



Satellites



Application of Satellites




Photography

SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX – X)



Retail



Information Technology




Security




Automotive



Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking & Insurance



Marketing & Sales



Health Care



Apparel



Multi Media



Multi Skill Foundation Course



Artificial Intelligence



Physical Activity Trainer



Data Science



Electronics & Hardware (NEW)



Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI – XII)



Retail



Information Technology



Web Application



Automotive



Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking




Marketing



Health Care



Insurance




Horticulture



Typography & Comp.
Application



Geospatial Technology



Electrical Technology



Electronic Technology



Multi-Media




Taxation



Cost Accounting




Office Procedures & Practices



Shorthand (English)




Shorthand (Hindi)



Air-Conditioning & Refrigeration




Medical Diagnostics



Textile Design




Design



Salesmanship



Business Administration



Food Nutrition & Dietetics



Mass Media Studies



Library & Information Science



Fashion Studies



Applied Mathematics



Yoga



Early Childhood Care & Education




Artificial Intelligence



Data Science



Physical Activity Trainer(new)



Land Transportation Associate (NEW)



Electronics & Hardware (NEW)



Design Thinking & Innovation (NEW)